

INCISE MICROTOPPING

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION

Product name: INCISE Microtopping

Use: Seamless decorative surface coating for floors and walls

2. HAZARD IDENTIFICATION

- GHS Classification:

Skin Irrit. 2

Eye Irrit. 2

STOT SE 3

- Signal Word:

Warning

- Hazard Statements:

Causes skin and eye irritation.

May cause respiratory irritation.

3. COMPOSITION / INFORMATION ON INGREDIENTS

- Cementitious Powder Component: 40–60%

- Acrylic Polymer (Liquid): 30–60%

- Fillers, Pigments, Additives: 5–10%

4. FIRST-AID MEASURES

Inhalation: Move to fresh air. Seek medical attention if irritation persists.

Skin Contact: Wash with soap and water.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Seek medical help.

Ingestion: Rinse mouth. Do not induce vomiting. Seek medical assistance.

5. FIRE-FIGHTING MEASURES

Not flammable.

Use media suitable for surrounding fire. Wear protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Avoid dust.

Wear PPE.

Sweep or vacuum with HEPA filter. Dispose per Section 13.

7. HANDLING AND STORAGE

Handle with care to minimize dust.

Store in a dry place in sealed containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Use N95/P2 mask, gloves, goggles.

Avoid dust exposure.

Follow hygiene practices.

9. PHYSICAL AND CHEMICAL PROPERTIES

Gray powder.
Odorless. pH: >11 (wet).
Not flammable.
Specific gravity ~2.3–3.2.

10. STABILITY AND REACTIVITY

Stable when dry.
Reacts with water.
Avoid acids.
No hazardous decomposition under normal use.

11. TOXICOLOGICAL INFORMATION

Irritating to skin, eyes, lungs.
Prolonged silica dust inhalation may cause silicosis or cancer.

12. ECOLOGICAL INFORMATION

Dust alters pH.
Avoid waterway discharge.
Not bioaccumulative.
Inert but may affect aquatic life.

13. DISPOSAL CONSIDERATIONS

Solidify and dispose as construction waste. Empty bags as non-hazardous waste.

14. TRANSPORT INFORMATION

Not regulated.
Handle in sealed, dry containers.
Avoid moisture.

15. REGULATORY INFORMATION

Subject to silica regulations. OSHA/ACGIH/Prop 65 compliant labeling required.
GHS-classified.

16. OTHER INFORMATION

Prepared: May 2025. Based on cement and silica safety data. Handle using trained personnel.

