INCISE PATIO MATERIAL SAFETY DATA SHEET



Incise Uganda Ltd Luzira Industrial Park, Kampala, Uganda 256-76622579 info@incise.ug www.incise.ug

1. IDENTIFICATION

Product name: INCISE Patio

Use: Outdoor decorative concrete surface finish

2. HAZARD IDENTIFICATION

-GHS Classification:

Eye Damage 1

Skin Corr. 1B

Carc. 1A

-Signal Word:

Danger

-Hazard Statements:

Causes severe skin burns and eye damage. May cause cancer through inhalation of dust.

3. COMPOSITION / INFORMATION ON INGREDIENTS

- Portland Cement: 85-95%

- Calcium Oxide: 0-5%

- Gypsum: 4-9%

- Crystalline Silica (Quartz): ≤0.1%

4. FIRST-AID MEASURES

Inhalation: Move to fresh air. Seek medical attention if symptoms occur.

Skin Contact: Wash thoroughly with water.

Eye Contact: Flush eyes with water for 15 minutes. Seek medical attention.

Ingestion: Rinse mouth. Do not induce vomiting. Seek medical advice.

5. FIRE-FIGHTING MEASURES

Non-flammable Use surrounding fire media Wear SCBA if necessary

6. ACCIDENTAL RELEASE MEASURES

Avoid dust generation
Use HEPA vacuum or wet sweep
Dispose per local regulations

7. HANDLING AND STORAGE

Store dry, ventilated Use PPE Avoid moisture

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Use dust mask, gloves, goggles Provide ventilation

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Grey powder pH: >11 (wet)
Odorless
Non-flammable

10. STABILITY AND REACTIVITY

Stable when dry Avoid acids, moisture

11. TOXICOLOGICAL INFORMATION

Skin/eye burns Lung damage from silica Irritation, sensitization possible

12. ECOLOGICAL INFORMATION

Alkaline in water Avoid discharge into environment

13. DISPOSAL CONSIDERATIONS

Hardened product can be landfilled Avoid dust generation during disposal

14. TRANSPORT INFORMATION

Not regulated for transport Handle in sealed containers

15. REGULATORY INFORMATION

OSHA/CLP compliant Crystalline silica and cement dust regulated

16. OTHER INFORMATION

Prepared: May 2025
By: Incise Uganda Ltd
Complies with GHS



