INCISE GLOSS SEALANT

MATERIAL SAFETY DATA SHEET



Incise Uganda Ltd Luzira Industrial Park, Kampala, Uganda 256-76622579 info@incise.ug www.incise.ug

1. IDENTIFICATION

Product name: INCISE Gloss Sealant

Use: Decorative sealer for concrete and microcement

2. HAZARD IDENTIFICATION

-GHS Classification:

Flammable Liquid

kin Irrit. 2

Eye Irrit. 2

STOT SE 3

- Signal Word: Danger

-Hazard Statements:

Highly flammable.

Causes skin and eye irritation.

May cause drowsiness or dizziness.

3. COMPOSITION / INFORMATION ON INGREDIENTS

- Xylene
- Ethyl Benzene
- Butyl Acetate
- Acrylic Polymer

4. FIRST-AID MEASURES

Inhalation: Move to fresh air. Get medical help.

Skin Contact: Wash skin thoroughly with soap and water.

Eye Contact: Rinse eyes with water for 15 minutes. Seek medical attention.

Ingestion: Rinse mouth. Do not induce vomiting. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Use CO2, dry chemical or foam. Vapors may flash back.

6. ACCIDENTAL RELEASE MEASURES

Ventilate. Eliminate sources of ignition. Absorb spill with inert material.

7. HANDLING AND STORAGE

Store in tightly closed containers. Use with adequate ventilation.

Use gloves, goggles, and NIOSH respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Clear liquid. Strong solvent odor. Flash point ~15°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

10. STABILITY AND REACTIVITY

Stable. Avoid heat, sparks, and open flame.

11. TOXICOLOGICAL INFORMATION

Inhalation may cause CNS effects. Prolonged exposure may cause organ effects.

12. ECOLOGICAL INFORMATION

Toxic to aquatic life. Avoid environmental release.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

UN1263, Flammable liquid, PG II.

15. REGULATORY INFORMATION

Complies with GHS, OSHA, and UNBS.

16. OTHER INFORMATION

Prepared by: Incise Uganda Ltd. Rev. May 2025.

